

## **Karora Resources Announces Beta Hunt Second Decline Progressing Ahead Of Schedule, The Discovery Of A New Shear Zone And New Drilling Results Including 198.5 G/T Over 4.5 Metres**

TORONTO, May 24, 2022 /CNW/ - Karora Resources Inc. (TSX: KRR) (OTCQX: KRRGF) ("Karora" or the "Corporation") is pleased to announce that development of the second decline at Beta Hunt is tracking on cost and ahead of schedule with the estimated completion date now brought forward to Q1 2023 from mid-2023. The second decline at Beta Hunt is integral to Karora's production growth plan to double throughput at Beta Hunt to 2 Mtpa and increase gold production to between 185,000 and 205,000 ounces by 2024.

- **198.5 g/t over 4.5 metres**(AW17LN-01AE);
- **18.6 g/t over 15.0 metres** (AF-AZDDC1-11AE); and
- **18.3 g/t over 4.0 metres**(AW-AZDDC1-02AR).

*Interval lengths are downhole widths. Estimated true widths cannot be determined with currently available information*

Results from the surface drilling program also supports the interpretation of a newly discovered shear zone named 'Sorrenson', located to the east and parallel to A Zone and Western Flanks. The discovery of the Sorrenson shear zone follows the success of the Larkin and Fletcher shear zone discoveries, adding to the rapidly expanding mineralized system at Beta Hunt.

Paul Andre Huet, Chairman & CEO, commented: "I am thrilled with the progress made to-date by our teams to significantly progress development of the second decline ahead of schedule at the Beta Hunt Mine. The efforts to secure the DMIRs permits followed by rapid execution of our decline development plan, all while tracking on budget, is a tremendous achievement in light of the current inflationary environment negatively impacting many operations and development projects across our sector. A job well done.

I am also extremely pleased with the drilling results at Western Flanks, A Zone North, Fletcher and the newly interpreted Sorrenson shear zone which further validates the tremendous growth potential of Beta Hunt. With our aggressive exploration drill program, we continue to identify new shear zones and, as exemplified with the success of Larkin, convert them into resource inventory. The continued discovery of these new shear zones is one of many reasons we are excited about the long-life potential of the Beta Hunt operation.

Overall, we continue to build upon the world class exploration potential of Beta Hunt, while our development teams execute on our second decline plans to double throughput to 2 Mtpa."

Exploration drilling at Western Flanks returned significant high grade results of 198.5 g/t over 4.5 metres in hole AW17LN-01AE in drilling designed to test the northern extension of the zone and 18.6 g/t over 15.0 meters in hole AF-AZDDC1-11AE and 18.3 g/t over 4.0 metres in hole AW-AZDDC1-02AR in drilling designed to support and expand the existing Mineral Resource.

Recent exploration drill results at A Zone North include a 20.3 g/t over 2.0 metres intercept in hole SAZ-002-AE supporting A Zone North's extension. Importantly, this extension is proximal to the location of the second decline and is expected to provide early access to potential near-surface mining blocks in support of the growth plan.

### **Beta Hunt Second Decline Progress**

Following final approvals received from Department of Mines, Industry Regulation and Safety ("DMIRS") for the surface collaring and box cut development work, decline development from underground has advanced approximately 500 metres since commencement, with the main vent access drive on the 801 level being within 15 metres of completion. Surface portal construction is approximately 70% complete with surface decline development expected to commence Q3 2022.

### **Beta Hunt Drilling Update**

From January 1, 2022 to April 30, 2022, a total of 49 gold resource definition and exploration holes were drilled at Beta Hunt for 10,647 metres. Drilling focused on testing A Zone North, extending and infilling Western Flanks and testing the down-dip position of the Fletcher Zone. Encouraging initial drilling results were received from the newly interpreted mineralized shear zone known as Sorrenson, which is located to the east and parallel to A Zone and Western Flanks. Figure 2 below summarizes significant drilling results and their location over this period.

### Gold Focused Drilling

**Western Flanks:** As part of the program to upgrade the existing Inferred Mineral Resource, drilling targeted both Western Flanks Central and

South. Results support, and in some cases expand, upon the existing interpreted mineralization. For example, hole AF-AZDDC1-11AE returned 18.6 g/t over 15.0 metres (See figure 3).

Drilling also tested the northern strike extension of Western Flanks with drill hole AW17LN-01AE returning 198.5 g/t over 4.5 metres. The intersection occurs in the footwall of Western Flanks and is associated with pyrrhotite-rich sediment and altered porphyry. Further follow-up drilling is planned for this area. Significant results<sup>1</sup> from the Western Flanks resource definition and exploration drilling are listed below:

- AW17LN-01AE: 198.5 g/t over 4.5 metres
- AF-AZDDC1-11AE: 18.6g/t over 15.0 metres
- AW-AZDDC1-02AR: 18.3 g/t over 4.0 metres
- WW405DD-09AR: 2.5 g/t over 11.8 metres
- WW405DD-12AR: 9.2 g/t over 3.0 metres

1. *Interval lengths are downhole widths. Estimated true widths cannot be determined with currently available information*

**A Zone North:** Significant results were returned from A-Zone North and continue to provide encouragement for an extension to the current mineral resource and the opportunity to exploit mineralization from the new second decline. Significant results<sup>1</sup> include:

- SAZ-002-AE: 20.3 g/t over 2.0 metres
- SAZ-008-AE: 2.1 g/t over 10.0 metres

1. *Interval lengths are downhole widths. Estimated true widths cannot be determined with available information*

**Sorrenson:** Initial results received from testing the interpreted Sorrenson shear zone support its existence including 1.5g/t over 7.6 metres (downhole) in drill hole SSOR-05-AE which validates the mineralization thesis. Drilling is being conducted on three, 400 metre spaced lines with additional results pending from the program.

**Fletcher:** Drilling on the Fletcher Shear Zone continues to support a continuous mineralized shear zone with an intersection of 1.5 g/t over 4.0 metres (downhole) in drill hole AF-AZDDC1-11AE, over 130 metres down dip from the nearest intersection, extending the mineralized zone at depth. Further drilling is planned at Fletcher to test continuity of the zone and its potential as another major shear zone at Beta Hunt.

#### **Nickel and Sampling Update**

Nickel drilling re-commenced in the Beta Block targeting the 30C and 25C (south of the 30C), with an update to be provided once results are received and interpreted.

A re-sampling program of historical holes is underway at Beta Hunt, yielding additional impressive intersections in the Mason shear zone compared to those previously recorded (located to the West of the Larkin zone, see Figure 2). The results<sup>1</sup> include:

- Historic drill hole BE19-296: 2.6g/t over 9.8 metres (previously 3.5g/t over 0.8 metres)
- Historic drill hole BE19-285: 1.2 g/t over 17.5 metres, including 2.4g/t over 3.8 metres (previously 2.0g/t over 6.5 metres)

1. *Interval lengths are downhole widths. Estimated true widths cannot be determined with currently available information*

#### **Compliance Statement (JORC 2012 and NI 43-101)**

The disclosure of scientific and technical information contained in this news release has been reviewed and approved by Stephen Devlin, FAusIMM, Group Geologist, Karora Resources Inc., a Qualified Person for the purposes of NI 43-101.

At Beta Hunt all drill core sampling is conducted by Karora personnel. Samples for gold analysis are shipped to SGS Mineral Services of Kalgoorlie for preparation and assaying by 50 gram fire assay analytical method. All gold diamond drilling samples submitted for assay include at least one blank and one Certified Reference Material ("CRM") per batch, plus one CRM or blank every 20 samples. In samples with observed visible gold mineralization, a coarse blank is inserted after the visible gold mineralization to serve as both a coarse flush to prevent contamination of subsequent samples and a test for gold smearing from one sample to the next which may have resulted from inadequate cleaning of the crusher and pulveriser. The lab is also required to undertake a minimum of 1 in 20 wet screens on pulverised samples to ensure a minimum 90% passing at -75µm. Samples for nickel analysis are shipped to SGS Australia Mineral Services of Kalgoorlie for preparation. Pulps are then shipped to Perth for assaying. The analytical technique is ICP41Q, a four acid digest ICP-AES package. Assays recorded above the upper detection limit (25,000ppm Ni) are re-analyzed using the same technique with a greater dilution (ICP43B). All samples submitted for nickel assay

include at least one Certified Reference Material (CRM) per batch, with a minimum of one CRM per 20 samples. Where problems have been identified in QAQC checks, Karora personnel and the SGS laboratory staff have actively pursued and corrected the issues as standard procedure.

### About Karora Resources

Karora is focused on increasing gold production to a targeted range of 185,000-205,000 ounces by 2024 at its integrated Beta Hunt Gold Mine and Higginsville Gold Operations ("HGO") in Western Australia. The Higginsville treatment facility is a low-cost 1.6 Mtpa processing plant, expanding to a planned 2.5 Mtpa by 2024, which is fed at capacity from Karora's underground Beta Hunt mine and Higginsville mines. At Beta Hunt, a robust gold Mineral Resource and Reserve are hosted in multiple gold shears, with gold intersections along a 4 km strike length remaining open in multiple directions. HGO has a substantial Mineral gold Resource and Reserve and prospective land package totaling approximately 1,900 square kilometers. The Company also owns the high grade Spargos Reward project, which came into production in 2021. Karora has a strong Board and management team focused on delivering shareholder value and responsible mining, as demonstrated by Karora's commitment to reducing emissions across its operations. Karora's common shares trade on the TSX under the symbol KRR and also trade on the OTCQX market under the symbol KRRGF.

### Cautionary Statement Concerning Forward-Looking Statements

*This news release contains "forward-looking information" including without limitation statements relating to production guidance and the potential of the Beta Hunt Mine, Higginsville Gold Operation, the Aquarius Project and the Spargos Gold Project, the commencement of mining at the Spargos Gold Project and the completion of the resource estimate.*

*Forward-looking statements involve known and unknown risks, uncertainties and other factors which may cause the actual results, performance or achievements of Karora to be materially different from any future results, performance or achievements expressed or implied by the forward-looking statements. Factors that could affect the outcome include, among others: future prices and the supply of metals; the results of drilling; inability to raise the money necessary to incur the expenditures required to retain and advance the properties; environmental liabilities (known and unknown); general business, economic, competitive, political and social uncertainties; results of exploration programs; accidents, labour disputes and other risks of the mining industry; political instability, terrorism, insurrection or war; or delays in obtaining governmental approvals, projected cash operating costs, failure to obtain regulatory or shareholder approvals. For a more detailed discussion of such risks and other factors that could cause actual results to differ materially from those expressed or implied by such forward-looking statements, refer to Karora's filings with Canadian securities regulators, including the most recent Annual Information Form, available on SEDAR at [www.sedar.com](http://www.sedar.com).*

*Although Karora has attempted to identify important factors that could cause actual actions, events or results to differ materially from those described in forward-looking statements, there may be other factors that cause actions, events or results to differ from those anticipated, estimated or intended.*

*Forward-looking statements contained herein are made as of the date of this news release and Karora disclaims any obligation to update any forward-looking statements, whether as a result of new information, future events or results or otherwise, except as required by applicable securities laws.*

**Table 1: Beta Hunt Gold- Significant Results -January 1, 2022 to April 30, 2022**

Target/Prospect	Hole ID	Sub interval	From (m)	To (m)	Downhole Interval (m) <sup>2</sup>	Au (g/t) <sup>1</sup>
Western Flanks	AF-AZDDC1-11AE		9.0	10.8	1.8	2.4
	AF-AZDDC1-11AE		14.0	15.0	1.0	4.3
	AF-AZDDC1-11AE		18.6	19.0	0.4	6.0
	AF-AZDDC1-11AE		162.0	177.0	15.0	18.6
		including	167.0	167.5	0.5	465
	AF-AZDDC1-11AE		183.0	190.0	7.0	2.8
	AF-AZDDC1-11AE		258.0	267.0	9.0	1.9
Fletcher	AF-AZDDC1-11AE		583.0	587.0	4.0	1.5
	AW17LN-01AE		156.5	161.0	4.5	198.5
		including	158.4	159.0	0.6	148.0
	AW17LN-01AE		300.0	301.0	1.0	2.3
	AW17LN-01AE		304.7	309.0	4.4	1.1
	AW17LN-23AR		4.4	5.0	0.6	4.5
	AW17LN-23AR		165.0	171.8	6.8	1.6

Western Flanks	AW17LN-23AR	174.0 188.0	177.0 190.0	3.0 2.0	1.0 2.2
	AW17LN-24AR	3.0	4.0	1.0	6.4
	AW-AZDDC1-02AR	9.7	11.0	1.4	3.1
	AW-AZDDC1-02AR	103.0	104.0	1.0	3.1
	AW-AZDDC1-02AR	109.0	113.0	4.0	18.3
	AW-AZDDC1-02AR	116.0	129.0	13.0	1.7
	AW-AZDDC1-07AR	118.0	120.0	2.0	1.7
	AW-AZDDC1-07AR	123.0	127.0	4.0	0.9
	AW-AZDDC1-07AR	135.0	143.5	8.5	3.0
Larkin	B30-19-015NR	0.0	2.4	2.4	1.7
	B30-19-020NR	3.5	4.5	1.0	4.5
	B30-19-021NR	0.0	7.0	7.0	1.7
	B30-19-021NR	17.0	18.5	1.5	1.4
	B30-19-021NR	25.0	26.0	1.0	2.3
	B30-19-022NR	0.0	3.0	3.0	1.1
	B30-19-022NR	15.5	18.0	2.5	3.1
	B30-19-022NR	32.0	45.0	13.0	1.5
	B30-19-022NR	48.3	50.5	2.2	7.8
	B30-19-023NR	38.0	43.0	5.0	1.1
Gamma	G55-22-010NE	74.0	75.0	1.0	6.3
	G55-22-010NE	166.0	170.6	4.6	7.0
A Zone North	SAZ-002-AE	199.0	201.0	2.0	20.3
	SAZ-002-AE	325.0	330.0	5.0	3.4
	SAZ-003-AE	209.0	210.0	1.0	2.2
	SAZ-003-AE	351.8	354.0	2.3	1.1
	SAZ-003-AE	606.0	608.0	2.0	2.8
	SAZ-006AE	187.0	189.0	2.0	1.0
	SAZ-006AE	266.0	269.0	3.0	1.2
	SAZ-008-AE	233.8	234.6	0.8	5.2
	SAZ-008-AE	244.0	246.0	2.0	2.2
	SAZ-008-AE	260.0	262.3	2.3	5.6
	SAZ-008-AE	267.0	271.0	4.0	2.0
	SAZ-008-AE	274.0	284.0	10.0	2.1
Sorrenson	SSOR-05-AE	302.0	309.6	7.6	1.5
Western Flanks South	WW405DD-06AR	98.0	109.0	11.0	1.5
	WW405DD-09AR	140.2	152.0	11.8	2.5
	WW405DD-09AR	171.4	174.6	3.2	4.8
	WW405DD-12AR	93.0	96.0	3.0	9.2
	WW405DD-22AR	5.9	11.0	5.1	1.5
	WW405DD-22AR	34.0	35.0	1.0	3.7
	WW405DD-22AR	39.0	40.0	1.0	2.6
	WW405DD-22AR	63.0	65.0	2.0	2.8
	WW405DD-31AR	17.0	19.0	2.0	3.0
	WW405DD-31AR	74.0	77.0	3.0	5.2
	WW405DD-31AR	83.0	87.0	4.0	3.3
Mason (Beta Block)	BE19-296 (Historic)	179.0	188.8	9.8	2.6
	BE19-285 (Historic)	270.5	278	17.5	1.2

1. Reported gold grades > 1.0 g/t downhole and gram x metre > 2.
2. Estimated true widths cannot be determined with available information

**Table 2 Drillhole Collars – Beta Hunt for Significant Results Reported January 1, 2022 to April 30, 2022**

Target/ Prospect	Hole ID	MGA_N	MGA_E	mRL	DIP	AZI	Total Length (m)
AZONE	SAZ-002-AE	6544899.3	374040.1	289.0	-68.0	358.1	408.2
AZONE	SAZ-003-AE	6544898.5	374040.2	288.9	-78.1	358.7	708.5
AZONE	SAZ-006AE	6544976.3	373922.0	289.3	-63.3	41.0	351.1
AZONE	SAZ-008-AE	6544879.9	374050.4	289.2	-63.6	48.0	381.1
BETA	B30-19-015NR	6542662.9	375524.8	-380.3	73.5	265.4	33.0
BETA	B30-19-020NR	6542644.2	375543.4	-381.7	40.9	243.0	62.8
BETA	B30-19-021NR	6542653.6	375538.5	-380.4	73.7	46.4	69.1
BETA	B30-19-022NR	6542653.7	375538.9	-380.3	61.8	45.1	69.1
BETA	B30-19-023NR	6542669.8	375520.6	-381.9	46.7	334.4	68.8
BETA	BE19-285	6542439.6	375424.0	-404.0	-24.1	266.9	399.9
BETA	BE19-296	6542439.6	375424.0	-404.0	-14.6	278.0	358.8
FLET	AF-AZDDC1-11AE	6544332.5	374724.6	-283.9	-41.9	243.6	736.1
GAMMA	G55-22-010NE	6541900.3	376203.0	-338.3	43.8	234.5	182.9
Sorrenson	SSOR-05-AE	6545161.9	374405.3	288.5	-65.3	33.0	402.3
WF	AW17LN-01AE	6544655.6	374476.5	-255.8	-3.1	266.3	329.8
WF	AW17LN-23AR	6544611.7	374549.6	-257.6	-13.2	229.5	243.0
WF	AW17LN-24AR	6544611.8	374549.6	-257.6	-24.2	229.5	309.0
WF	AW-AZDDC1-02AR	6544332.5	374724.6	-283.9	-19.8	223.0	200.8
WF	AW-AZDDC1-07AR	6544332.5	374724.6	-283.9	-14.6	229.4	156.0
WF	WW405DD-06AR	6543680.7	375262.8	-398.7	-42.8	250.6	200.7
WF	WW405DD-09AR	6543680.6	375262.8	-398.9	-56.3	238.8	200.8
WF	WW405DD-12AR	6543680.1	375263.1	-399.0	-45.7	220.4	168.0
WF	WW405DD-22AR	6543663.2	375288.3	-397.9	-9.6	204.2	171.3
WF	WW405DD-31AR	6543662.1	375291.2	-398.0	-7.5	184.3	213.0

SOURCE Karora Resources Inc.

For further information: Rob Buchanan, Director, Investor Relations, T: (416) 363-0649, [www.karoraresources.com](http://www.karoraresources.com)

Additional assets available online:  [Photos \(3\)](#)